Utah Center of Excellence for the Development of the Hydrocarbon Resources of the Uinta Basin


Centers of Excellence Review
Miller Business Center
May 10, 2005

Utilization of Utah's Untapped Hydrocarbon Resources

- Uinta Basin Oil Shale/Oil Sands Can Supply 50,000-100,000 BBLS of Syncrude per Day
- @ \$50/BBL \$2.5-\$5.0 MM/Day or \$900 MM-\$1.8 B/Year in Potential Revenue
- @ 7/1 Economic Benefits Ratio \$6 B/yr-\$13 B/yr for Utah Economy

Utilization of Utah's Untapped Hydrocarbon Resources Phase I

- Recover 10,000-15,000 BPD of Shale Oil from 2-3 Sites
- Recover 2,500-8,000 BPD of Oil Sands Liquids from 2-3 Sites
- Uinta Basin Central Hydrotreater to Produce Low Sulfur/ Nitrogen Syncrude
- Refine Syncrude in Salt Lake City Refineries



Impact of Uinta Basin Oil Shale and Oil Sands Development

- 30,000 BPD of Canadian Oil Sand Syncrude are Processed in Utah Refineries
- Uinta Basin Could Produce 50,000 BPD of Syncrude in a Phase I Development
- Uinta Basin Could Produce 100,000 BPD of Syncrude in a Phase II Development

Thus Oil Shale and Oil Sands Syncrude Could Replace the Canadian Syncrude in Salt Lake City Refinery Crude Slates

Comparison of Shale Oil, Bitumen-Derived Liquid and Canadian Syncrude Properties

UB	UB Oil	Canada	
Shale Oil	Sand Liquids	Syncrude	

Gravity, ^o API	25.0	18.5	33.1
Nitrogen, ppm	19,700	10,200	520
Sulfur, wt%	0.67	0.32	0.109
CCR, wt%	3.6	4.7	0.08

Comparison of Hydrotreated UB Bitumen-Derived Liquid and Canadian Syncrude Properties

	Uinta Basin Oil Sand Liquids		Canada	
			Syncrude	
Temperature, K	663	679		
Gravity, ^o API	26.9	35.0	33.1	
Nitrogen, ppm	148	43	520	
Sulfur, ppm	45	16	1,090	
CCR, wt%	<0.1	<0.1	0.08	

The UB Shale Oils & BDL can be Converted to Syncrudes that can be Refined in any Refinery

COE Deliverables Related to the Development of Uinta Basin Oil Shale and Oil Sands

Capability for an Engineering Firm to Design Recovery & Upgrading Plants for the Development of Uinta Basin Oil Shale & Oil Sands Resources

COE Deliverables Related to the Development of Uinta Basin Oil Shale and Oil Sands

 Revised Oil Sand & Oil Shale Resource Estimates on Potential Development Sites

Total Resource

- 1. Measured
- 2. Indicated
- 3. Inferred/Conjectured
- Identification of Lease Structure for Each Potential Development Site
 - 1. Private/Fee Leases
 - 2. State Leases
 - 3. Federal Leases
 - 4. Tribal leases

COE Deliverables Related to the Development of Uinta Basin Oil Shale and Oil Sands

- Recommendation of Site-Specific Recovery Technologies for Potential Development Sites
 - 1. Ex-situ Thermal Recovery Processes
 - 2. Ex-situ Extraction Processes
 - 3. In-situ Recovery Processes
- Process Requirements to Remove Sulfur and Nitrogen & to Reduce CCR and Residual Fraction of the Produced Oils
 - 1. Preferred Catalyst
 - 2. Temperature
 - 3. Pressure
 - 4. Liquid/Weight Hourly Space Velocities
 - 5. Hydrogen Consumption

Impact of Uinta Basin Oil Shale and Oil Sands Development

Uinta Basin Could Produce
50,000 BPD from Oil Shale and
Oil Sands in Phase I & Possibly
100,000 BPD in a Phase II
Development

Uinta Basin Development Concept Where and How?

Multiple Oil Shale Recovery Sites:

3-5 (a)

10,000 to 15,000 Barrels/Day

Multiple Oil Sand Recovery Sites:

Asphalt Ridge 4,000 to 8,000 Barrels/Day

Whiterocks

2,500 to 5,000 Barrels/Day

PR Spring

2,500 to 5,000 Barrels/Day

Black Oil Production

Uinta Basin

5,000 to 7,500 Barrels/Day

50,000 - 100,000 Barrels/Day

Initial Market Opportunity

- Replace 30,000 BPD of Canadian Syncrude
- Salt Lake City Refineries Purchase Canadian Syncrude at \$57.50/BBL Delivered (April 2005)
- 50-100 M BPD @ \$50/BBL \$2.5-\$5.0 MM/Day or \$900 MM-\$1.8 B/Year in Potential Revenue
- Capital Required \$60 MM-\$120 MM
- @ 10% Net Income ⇒ Breakeven ~ 1 Year

Technical Development Time Line

YEAR Resource Lease Data Recovery **Technology** Upgrading **Technology** Eng'g Design

Commercial Development Time Line

YEAR Market Research——— Identify Partners— Raise Capital • Bench Scale Hydrotreating Commercial Plant

COE Funding Milestones

Budget Category	2005	2006	2007	2008	2009
Total					
Personnel	110,640	110,640	110,640	110,640	110,640
Equipment	10,000	10,000	10,000	10,000	10,000
Subcontracts	13,000	13,000	13,000	13,000	13,000
General	ŕ	,	,	,	ŕ
Supplies	<u>6,360</u>	<u>6,360</u>	<u>6,360</u>	<u>6,360</u>	<u>6,360</u>
Total Budget	140,000	140,000	140,000	140,000	140,000